

AESTHETIC ESSENCE WITH FUTURISTIC VIEW POINT

Experience the moments of your lifetime. A place holds lots of memories and we work to make the ambience of these places worth your memories. We bring the exceptional beauty of innovative creations. Never generalise, get your aura unique designs.

We give power to your place. An ambience that talks to your audience that brings the aura of serenity and tranquility without any efforts; because we put in the efforts while framing the extraordinary designs for you.



EVERY SINGLE PLACE INSPIRES US TO CREATE NEW LIVING

Inputting scholar manpower at work along with the state of the art technology, has achieved the title to epitome of Ceramic tiles manufacturer. The company intends to serve the best with high quality and accuracy, in result bringing the gratifying innovation to the market. The company's philosophy says that they don't merely manufacture but create art and craft visuals that surpass the general beauty standards.

was pioneered in Morbi with a vision to combine the 5 elements of mother nature; Air, fire, water, earth, space and process them to get a output that has all the qualities of these components. Company intended to modify the nature to develop something so beautiful that elevates your ambience and leaves everyone in awe of the inspiring decoryou bring to them.

The state of the art technology coupled with exciting design support, made the company become the leader in wall tiles in India. Internationally, the company has done extremely well in expanding its market base in very short period. Its Distribution channels and excellent brand image make the company a favourite of the distributors across India. The styles and the new introductions are always waited for and cherished.

Our Mission

We intend to conduct our business in a way that not only meets but exceeds the Expectations of our customers, business partners, distributors, buyers and creditors, as Well as the communities in which we operate and society at large. As a part of our mission we will

- Empower and train our employees to deliver better work outputs.
- We will introduce the designs that become the new trend, benefiting our customers.
- We will make our products easily available and largely affordable to make our distributors and importers profitable.
- We will make all our actions socially and morally responsible

Imperio Stone

Our Technologies

The Plant consists a Heavy Capacity Presses, (Made in Italy) Glazed Lines, Roller Kilns (All Made in Italy), Boil Mill Grinding Unit, Spray Dryer Made in China. Raw Material is procured from famous supplier and being brought from Rajasthan and also imported from Ukraine.

Technology-Certified















THE RESULT OF A REVOLUTIONARY TECHNOLOGY THAT ELIMINATES

Imperio Stone

IWe bring the revolutionary mechanism to manufacture modern tile collection. The technical know-how we use has the most upgraded version that can create great designs for your decor.

Merely technology can not bring the results we intend to provide. Our exceptional scholars put in their best work in their knowledge to get a output that not only satisfies our customers but make us the leading manufacturer as the best quality providers.

Superior technical characteristics of our wall tiles makes them suitable for use as work tops of all kinds, with a visual appeal that equals and even surpasses that of any other material.

With the help of pressure and temperature we transform 100% natural materials into porcelain surface which combines the best of ceramics design with natural stone resistance.



FROST RESISTANCE



CHEMICAL RESISTANCE



WATERPROOF



THERMAL RESISTANCE




STAIN RESISTANCE



FIREPROOF







collection

The intriguing decorative textures and surfaces the detail of personality that embellishes and attracts for the air elegant that gives the space.



300x


















300x


















300x DIGITAL EURC SERIES























LT



300x 600MM WALL TILES

DIGITAL


























300x


















300x 600MM WALL TILES

DIGITAL


















300x


















300x

















300x





LT



HL_16



LT















300x 600MM WALL TILES

DIGITAL


















300x


















6339





DK



HL_14



DK

















300x 600MM WALL TILES


















300x **DIGITAL** 600MM WALL TILES





DK



HL_06



DK











Resistant to Staining



300x


















300x 600MM WALL TILES

DIGITAL













6340 6341 6341 DK LT LT HL_17 HL_15 HL_1 HL_17 HL_2 LT DK LT

300x

DIGITAL 600MM WALL TILES















6341 6341 6341 LT LT LT HL_3 HL_5 HL_4 HL_6 LT LT LT










HL_09



DK


















300x


















300x


















300x


















300x


















300x


















300x


















300x


















300x


















TECHNICAL DETAILS

Sr No.	CHARACTERISTIC	TEST METHOD	IS 15622:2013 GROUP B III	OUR VALUE
Α	Dimension & Surface Quality		Rectified	Rectified
1	Deviation in Length & Width	IS - 13630 - 1	± 0.3%	± 0.1%
2	Deviation in Thickness	IS - 13630 - 1	± 5.0%	± 3.0%
3	Straightness of Side	IS - 13630 - 1	,+/-0.15%	± 0.1%
4	Rectangularity	IS - 13630 - 1	± 0.2%	± 0.15%
5	Surface Flatness	IS - 13630 - 1	± 0.3%	± 0.2%
6	Surface Quality	IS - 13630 - 1	95% of The Tiles Free From Visible Defect	95%
В	Physical Properties			
1	Water Absorption	IS - 13630 - 2	10 - 20%	18%
2	Modulus Of Rapture	IS - 13630 - 6	>15 N/MM²	>17 N/MM²
3	Flexure Breaking Strength	IS - 13630 - 6	>600 N	>700 N
4	Moisture Expansion	IS - 13630 - 3	0.04% Max.	0.01% Max.
5	Scratch Hardness (Moh's)	IS - 13630 - 13	Min. 3	Min. 3
6	Resistance of Surface Abrasion	IS - 13630 - 11	Min. II	Min. II
7	Thermal Expansion	IS - 13630 - 4	6 x 10 ⁻⁶ K ⁻¹	6 x 10 ⁻⁶ K ⁻¹
8	Thermal Shock Resistance	IS - 13630 - 5	Min. 10 Cycles	10 Cycles Passed
9	Crazing Resistance	IS - 13630 - 9	Min. 04 Cycles	04 Cycles Passed
С	Chemical Properties			
1	Resistance to Staining	IS - 13630 - 8	Class I Min.	Class II
2	Household Chemicals	IS - 13630 - 8	Class AA Min.	Class AA
3	Acid Resistance	IS - 13630 - 8	Resistance	Resistance

PACKING DETAILS

DIMENSION	PIECES	COVERAGE
300 X 600 MM	5	0.90 Sq.Mtr.

Note:

